




Docket No. 4555-121 US

The undersigned certifies that this communication is being deposited with the United States Postal Service as prepaid first class mail in an envelope addressed to Mail Stop Post Issue, Attn: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on April 23, 2008.


Diane Dunn McKay, Esq.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	:	Customer No.
KAHNE et al.	:	26817
Serial No. 10/748,335	:	Group Art Unit: 1657
Filed: December 30, 2003	:	Examiner: Paul C. Martin
Title: IDENTIFICATION OF ACTIVE-SITE INHIBITORS OF GLYCOSYLTRANSFERASES USING A GENERALIZABLE HIGH-THROUGHPUT SCREEN	:	Confirmation No. 8137

Mail Stop Post Issue
Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

*Certificate
APR 30 2008
of Correction*

CERTIFICATE OF CORRECTION

Dear Sir:

It has been ascertained that granted U.S. Patent No. 7,344,850 was printed with an error. The Statement of Government Funded Research heading and information was omitted. In order to correct the error, the enclosed Certificate of Correction (Form PTO/SB/44) is submitted requesting the Statement of Government Funded Research heading and information be entered as follows:

04/28/2008 CNGUYEN2 00000034 7344850

01 FC:1811

100.00 00
RECEIVED-USPTO
Patent Publication


APR 30 2008

This work was supported by the National Institute of Health Grant Nos. RO/AI 50855, RO/AI 44854 and RO/GM 66714. Accordingly, the Government has certain rights in this invention.

Since this was an error on the part of the Applicants, Applicants submit herewith a check in the amount of \$100.00. The Commissioner is authorized to charge any deficiency or credit any overpayment to Deposit Account No. 13-2165.

Respectfully submitted,

Dated: April 23, 2008



Diane Dunn McKay, Esq.
Reg. No. 34,586
Attorney for Applicant

MATHEWS, SHEPHERD, McKAY & BRUNEAU, P.A.
29 Thanet Road, Suite 201
Princeton, NJ 08540
Tel: 609 924 8555
Fax: 609 924 3036

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,344,850

Page 1 of 1

APPLICATION NO. : 10/748,335

ISSUE DATE : March 18, 2008

INVENTOR(S) : Kahne et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1,

Line 7, before the heading **Field Of The Invention**, the heading **--Statement of Government Funded Research--** should be added. After the heading **"Statement of Government Funded Research"**, **--This work was supported by the National Institute of Health Grant Nos. RO/AI 50855, RO/AI 44854 and RO/GM 66174. Accordingly, the Government has certain rights in this invention. --** should be inserted.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Diane Dunn McKay, Esq., Reg. No. 34.586
Mathews, Shepherd, McKay & Bruneau, P.A.
29 Thanet Road, Suite 201
Princeton, NJ 08540

RECEIVED-USPTO
Patent Publication**APR 30 2008**

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.